

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – RWS&S Dept. – Allegations of non-commissioning of PWS Schemes in Jammikunta (M), Karimnagar District - Sri Maqbool Ahmed, Assistant Engineer, RWS&S, Karimnagar– Disciplinary proceedings under Rule 20 of Andhra Pradesh Civil Services Classification, Control & Appeal) Rules, 1991 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.IA) DEPARTMENT

G.O.Rt.No. 410.

Dated:21.02.2014

ORDER:

It is proposed to hold an enquiry Sri Maqbool Ahmed, Assistant Engineer, RWS&S, Karimnagar, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II and III).

3. Sri Maqbool Ahmed, Assistant Engineer, RWS&S, Karimnagar, is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri Maqbool Ahmed, Assistant Engineer, RWS&S, Karimnagar, is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny article of charge.

5. Sri Maqbool Ahmed, Assistant Engineer, RWS&S, Karimnagar, is further informed that if he does not submit his written statement of defence on or before the period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri Maqbool Ahmed, Assistant Engineer, RWS&S, Karimnagar, is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri Maqbool Ahmed, Assistant Engineer, RWS&S, Karimnagar, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

To
Sri Maqbool Ahmed, Assistant Engineer, RWS&S, Karimnagar through
the Engineer-in- Chief, RWS&S, Hyderabad.

The Engineer-in-Chief, RWS&S, Hyderabad.

(in duplicate with a request to serve and return the dated acknowledgement copy)

Copy to:

The PR&RD (Estt.II) Department.

SF/SC

//FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE-I

(Annexure to G.O.Rt.No. 410 , PR&RD (Vig.IA) Dept., dt.21.02.2014)

**STATEMENT OF ARTICLE OF CHARGES AGAINST SRI MAQBOOL AHMED,
ASST. ENGINEER, RWS&S, KARIMNAGAR.**

CHARGE:

That Sri Maqbool Ahmed, Assistant Engineer, RWS&S, Karimnagar District, has failed to execute the work "PWS Scheme at Bijjigiri Shariff(v) of Jammikunta(M)". Thus, he has neglected his duties.

BASIS:-

The Chief Engineer, Vig&QC, RWS&S, Hyderabad in his report Lr.No.AEE1/DEEIII/1254/Non Commissioning of Schemes/KNR, dt.13.2.2013, has reported that Sri Maqbool Ahmed, Assistant Engineer has failed to execute the work "PWS Scheme at Bijjigiri Shariff (V) of Jammikunta(M)" the components like Infiltration well, Pumping Main and other items executed are not in use due to failure of source and the total expenditure Rs.13.00 lakhs(approx) incurred on the above said items under various grants are merely wasteful. From this, it is evident that he has shown gross negligence towards his Legitimate Duties and failed in Supervision which is in violation of Rule (3) of A.P.Civil Services (Conduct) Rules, 1964.

Hence, the charge.

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER

ANNEXURE-II

(Annexure to G.O.Rt.No. 410, PR&RD (Vig.IA) Dept., dt.21.02.2014)

LIST OF THE DOCUMENTS BY WHICH THE ARTICLE OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI MAQBOOL AHMED, ASST. ENGINEER, RWS&S, KARIMNAGAR.

Lr.No.AEE1/DEEIII/1254/Non Commissioning of Schemes/KNR,
dt.13.2.2013 of Chief Engineer, V&QC, RWS&S, Hyderabad.

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER

ANNEXURE-III

(Annexure to G.O.Rt.No. 410 PR&RD (Vig.IA) Dept., dt.21.02.2014)

LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI MAQBOOL AHMED ASST. ENGINEER, RWS&S, KARIMNAGAR.

- NIL -

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER